



This is part of **Family API** which allow to create dual-os version of program runs under OS/2 and DOS

Note: This is legacy API call. It is recommended to use 32-bit equivalent

2021/09/17 04:47 · prokushev · [0 Comments](#)

2021/08/20 03:18 · prokushev · [0 Comments](#)

DosFindFirst

This call finds the first file object or group of file objects whose name(s) match the specification.

Syntax

```
DosFindFirst (FileName, DirHandle, Attribute,
             ResultBuf, ResultBufLen, SearchCount, Reserved)
```

Parameters

- **FileName** ([PSZ](#)) - input : Address of the ASCIIZ path name of the file or subdirectory to be found. The name component may contain global file name characters.
- **DirHandle** ([PHDIR](#)) - input/output : Address of the handle associated with a specific DosFindFirst request. The values that can be specified are:
 - 0001H - Assign handle 1, which is always available to a process.
 - FFFFH - The system allocates and returns a handle. If on input FFFFH is specified, on output DirHandle contains the handle allocated by the system.

The DosFindFirst handle is used with subsequent DosFindNext requests. Reuse of this handle in another DosFindFirst closes the association with the previous DosFindFirst and opens a new association.

* **Attribute** ([USHORT](#)) - input : Attribute value that determines the file objects to be searched for.

Bit	Description
15-6	Reserved and must be zero
5	File archive
4	Subdirectory
3	Reserved and must be zero
2	System file
1	Hidden file
0	Read only file

These bits may be set individually or in combination. For example, an attribute value of 0021H (bits 5 and 0 set to 1) indicates a read-only file that should be archived.

If Attribute is 0, normal file entries are found. Entries for subdirectories, hidden, and system files, are not returned. If Attribute is set for hidden or system files, or directory entries, it is considered an inclusive search. All normal file entries plus all entries matching the specific attributes are returned. Set Attribute to hidden+system+directory (all three bits on) to look at all directory entries except the volume label.

Attribute cannot specify the volume label. Volume labels are queried using DosQFSInfo. Attributes of a file are queried and set with DosQFileMode and DosSetFileMode.

- ResultBuf ([PFILEFINDBUF](#)) - output : Address of the structure that contains the returned directory information. The information reflects the last DosClose, DosBufReset, DosSetFileMode, DosSetFileInfo, and DosSetPathInfo calls.
- filedate ([FDATE](#)) : Structure containing the date of file creation.

Bit	Description
15-9	Year, in binary, of file creation
8-5	Month, in binary, of file creation
4-0	Day, in binary, of file creation

- filetime ([FTIME](#)) : Structure containing the time of file creation.

Bit	Description
15-11	Hours, in binary, of file creation
10-5	Minutes, in binary, of file creation
4-0	Seconds, in binary number of two-second increments, of file creation

- fileaccessdate ([FDATE](#)) : Structure containing the date of last access. See FDATE in filedate.
- fileaccesstime ([FTIME](#)) : Structure containing the time of last access. See FTIME in filetime.
- writeaccessdate ([FDATE](#)) : Structure containing the date of last write. See FDATE in filedate.
- writeaccesstime ([FTIME](#)) : Structure containing the time of last write. See FTIME in filetime.
- filesize ([ULONG](#)): File size.
- filealloc ([ULONG](#)) : Allocated file size.
- fileattrib ([USHORT](#)) : Attributes of the file, defined in DosSetFileMode.
- length ([UCHAR](#)) : Length of the ASCIIZ name string.
- matchfilename ([CHAR](#)) : ASCIIZ name string for the first occurrence of FileName.
- ResultBufLen ([USHORT](#)) - input : Length of ResultBuf
- SearchCount ([PUSHORT](#)) - input/output : Address of the number of matching entries requested in ResultBuf. On return, this field contains the number of entries placed into ResultBuf.
- Reserved ([ULONG](#)) - input : Reserved, must be set to zero.

Return Code

rc ([USHORT](#)) - return

Return code descriptions are:

- 0 NO_ERROR
- 2 ERROR_FILE_NOT_FOUND
- 3 ERROR_PATH_NOT_FOUND
- 6 ERROR_INVALID_HANDLE
- 18 ERROR_NO_MORE_FILES
- 26 ERROR_NOT_DOS_DISK
- 87 ERROR_INVALID_PARAMETER
- 108 ERROR_DRIVE_LOCKED
- 111 ERROR_BUFFER_OVERFLOW
- 113 ERROR_NO_MORE_SEARCH_HANDLES
- 206 ERROR_FILENAME_EXCED_RANGE

Remarks

DosFindFirst returns directory entries (up to the number requested in SearchCount) for as many files or subdirectories whose names and attributes match the specification and whose information fits in ResultBuf. On output, SearchCount contains the actual number of directory entries returned.

DosFindNext uses the directory handle associated with DosFindFirst to continue the search started by the DosFindFirst request.

Any non-zero return code indicates no handle has been allocated, including such non-error indicators as ERROR_NO_MORE_FILES.

DosQSysInfo is called by an application to determine the maximum path length allowed by OS/2.

For programs running without the NEWFILES bit set, only 8.3 filename format names are returned. These names are changed to uppercase.

Family API Considerations

Some options operate differently in the DOS mode than in OS/2 mode. Therefore, the following restrictions apply to DosFindFirst when coding for the DOS mode:

DirHandle must always equal hex 0001H or FFFFH on the initial call to DosFindFirst. Subsequent calls to DosFindFirst must have a DirHandle of hex 0001H unless a DosFindClose had been issued. In this case, 0001H or FFFFH is allowed.

Example Code

C Binding

```
typedef struct _FDATE { /* fdate */
```

```

    unsigned day    : 5;    /* binary day for directory entry */
    unsigned month  : 4;    /* binary month for directory entry */
    unsigned year   : 7;    /* binary year for directory entry */

} FDATE;

typedef struct _FTIME {    /* ftime */

    unsigned twosecs : 5;    /* binary number of two-second increments */
    unsigned minutes  : 6;    /* binary number of minutes */
    unsigned hours    : 5;    /* binary number of hours */

} FTIME;

typedef struct _FILEFINDBUF {    /* findbuf */

    FDATE  fdateCreation;    /* file date of creation */
    FTIME  ftimeCreation;    /* file time of creation */
    FDATE  fdateLastAccess;  /* file date of last access */
    FTIME  ftimeLastAccess;  /* file time of last access */
    FDATE  fdateLastWrite;   /* file date of last write */
    FTIME  ftimeLastWrite;   /* file time of last write */
    ULONG  cbFile;           /* file end of data */
    ULONG  cbFileAlloc;      /* file allocation */
    USHORT attrFile;         /* file attribute */
    UCHAR  cchName;          /* length of ASCIIIZ name string */
    CHAR   achName[CCHMAXPATHCOMP]; /* ASCIIIZ name string */

} FILEFINDBUF;

#define INCL_DOSFILEMGR

USHORT rc = DosFindFirst(FileName, DirHandle, Attribute, ResultBuf,
                        ResultBufLen, SearchCount, Reserved);

PSZ      FileName;    /* File path name */
PHDIR    DirHandle;   /* Directory search handle */
USHORT   Attribute;   /* Search attribute */
PFILEFINDBUF ResultBuf; /* Result buffer */
USHORT   ResultBufLen; /* Result buffer length */
PUSHORT  SearchCount; /* Number of entries to find */
ULONG    0;           /* Reserved (must be zero) */

USHORT   rc;          /* return code */

```

This example searches for a file matching the pattern 'te?.dat.'

```

#define INCL_DOSFILEMGR

#define NORMAL_FILES 0
#define HIDDEN_FILES 2

```

```

#define SEARCH_PATTERN "te??.dat"
#define FILE_ATTRIBUTE NORMAL_FILES | HIDDEN_FILES
#define RESERVED 0L

HDIR      FindHandle;
FILEFINDBUF FindBuffer;
USHORT    FindCount;
USHORT    rc;

FindHandle = 0x0001;
FindCount = 1;

rc = DosFindFirst(SEARCH_PATTERN,          /* File pattern */
                  &FindHandle,           /* Directory search handle */
                  FILE_ATTRIBUTE,         /* Search attribute */
                  &FindBuffer,           /* Result buffer */
                  sizeof(FindBuffer),     /* Result buffer length */
                  &FindCount,            /* # of entries to find */
                  RESERVED);              /* Reserved (must be zero) */

```

MASM Binding

```

FDATE    struc

    fdate_fs    dw    ?

FDATE    ends

FTIME    struc

    ftime_fs    dw    ?

FTIME    ends

FILEFINDBUF struc

    findbuf_fdateCreation    dw    (size FDATE)/2 dup (?) ;file date of creation
    findbuf_ftimeCreation    dw    (size FTIME)/2 dup (?) ;file time of creation
    findbuf_fdateLastAccess  dw    (size FDATE)/2 dup (?) ;file date of last
access
    findbuf_ftimeLastAccess  dw    (size FTIME)/2 dup (?) ;file time of last
access
    findbuf_fdateLastWrite   dw    (size FDATE)/2 dup (?) ;file date of last write
    findbuf_ftimeLastWrite   dw    (size FTIME)/2 dup (?) ;file time of last write
    findbuf_cbFile           dd    ? ;file end of data
    findbuf_cbFileAlloc      dd    ? ;file allocation
    findbuf_attrFile         dw    ? ;file attribute
    findbuf_cchName          db    ? ;length of ASCIIZ name string
    findbuf_achName          db    CCHMAXPATHCOMP dup (?) ;length of ASCIIZ name
string

```

FILEFINDBUF ends

```
EXTRN DosFindFirst:FAR
INCL_DOSFILEMGR EQU 1
```

```
PUSH@ ASCIIZ FileName ;File path name string
PUSH@ WORD DirHandle ;Directory search handle (returned)
PUSH WORD Attribute ;Search attribute
PUSH@ OTHER ResultBuf ;Result buffer
PUSH WORD ResultBufLen ;Result buffer length
PUSH@ WORD SearchCount ;Number of entries to find
PUSH DWORD 0 ;Reserved (must be zero)
CALL DosFindFirst
```

Returns WORD

Note

Text based on [http://www.edm2.com/index.php/DosFindFirst_\(FAPI\)](http://www.edm2.com/index.php/DosFindFirst_(FAPI))

Family API		
DOS	Process Manager	DosBeep DosExit DosSleep DosExecPgm
	File Manager	DosChDir DosChgFilePtr DosClose DosDelete DosDupHandle DosMkDir DosMove DosQCurDir DosQCurDisk DosSetFileMode DosOpen DosQFileInfo DosRead DosQFileMode DosQFSInfo DosQVerify DosRmDir DosSelectDisk DosFindClose DosFindFirst DosFindNext DosSetFileInfo DosSetVerify DosWrite DosFileLocks DosSetFHandState DosNewSize DosBufReset DosQFHandState DosSetFSinfo DosShutdown
	Memory Manager	DosFreeSeg DosSubAlloc DosSubFree DosSubSet DosAllocHuge DosAllocSeg DosReallocHuge DosReallocSeg DosGetHugeShift DosCreateCSAlias
	NLS	DosCaseMap DosGetCtryInfo DosGetDBCSEv DosSetCtryCode DosGetCollate DosGetMessage DosInsMessage DosPutMessage
	Date and Time	DosSetDateTime DosGetDateTime
	Devices	DosDevConfig DosDevIOctl DosDevIOctl2
	Signals	DosHoldSignal DosSetSigHandler
	Misc	BadDynLink DosGetEnv DosGetMachineMode DosGetVersion DosError DosErrClass DosSetVec
KBD		KbdCharIn KbdFlushBuffer KbdGetStatus KbdSetStatus KbdStringIn KbdPeek
VIO		VioGetBuf VioGetConfig VioGetCurPos VioGetCurType VioGetPhysBuf VioReadCellStr VioReadCharStr VioScrollUp VioScrollDn VioScrollLf VioScrollRt VioScrUnLock VioSetCurPos VioSetCurType VioSetMode VioGetMode VioShowBuf VioWrtCellStr VioWrtCharStr VioWrtCharStrAtt VioWrtNAttr VioWrtNCell VioWrtNChar VioWrtTTY VioScrLock VioPopUp
Tools		BIND
Modules		DOSCALLS.DLL VIOCALS.DLL KBDCALLS.DLL MSG.DLL
Libraries		API.LIB OS2386.LIB FAPI.LIB DOSCALLS.LIB SUBCALLS.LIB

2018/08/25 15:05 · prokushev · [0 Comments](#)

From:

<http://osfree.su/doku/> - **osFree wiki**

Permanent link:

<http://osfree.su/doku/doku.php?id=en:docs:fapi:dosfindfirst>

Last update: **2021/09/18 04:52**

