



Note: This API call is for DOS and Win16 personality only. Use Family API for portability.

2018/09/07 05:04 · prokushev · [0 Comments](#)

XMS API implemented via VXMS.DLL VDD

```

mov     ax,4310h
int     2Fh
mov     word ptr [XMSControl],bx
mov     word ptr [XMSControl+2],es

mov     ah,00h
call    [XMSControl]

```

| Function | Description | Status | Version |
|---------------------|------------------------------------|--------|---------|
| 00h | Get XMS Version Number | | 2 |
| 01h | Request High Memory Area | | 2 |
| 02h | Release High Memory Area | | 2 |
| 03h | Global Enable A20 | | 2 |
| 04h | Global Disable A20 | | 2 |
| 05h | Local Enable A20 | | 2 |
| 06h | Local Disable A20 | | 2 |
| 07h | Query A20 | | 2 |
| 08h | Query Free Extended Memory | | 2 |
| 09h | Allocate Extended Memory Block | | 2 |
| 0Ah | Free Extended Memory Block | | 2 |
| 0Bh | Move Extended Memory Block | | 2 |
| 0Ch | Lock Extended Memory Block | | 2 |
| 0Dh | Unlock Extended Memory Block | | 2 |
| 0Eh | Get Handle Information | | 2 |
| 0Fh | Reallocate Extended Memory Block | | 2 |
| 10h | Request Upper Memory Block | | 2 |
| 11h | Release Upper Memory Block | | 2 |
| 12h | Realloc Upper Memory Block | | 2 |
| 88h | Query any Free Extended Memory | | 3 |
| 89h | Allocate any Extended Memory Block | | 3 |
| 8Eh | Get Extended EMB Handle | | 3 |
| 8Fh | Realloc any Extended Memory | | 3 |

From: <https://www.osfree.ru/doku/> - **osFree wiki**

Permanent link: <https://www.osfree.ru/doku/doku.php?id=en:docs:xms:api&rev=1700391122>

Last update: **2023/11/19 10:52**



